Seasonal weather forecast for the months of


November, December 2021 and January 2022

General overview of the weather expected to prevail during November, December 2021 and January 2022.

The weather for the following three months, namely **November**, **December 2021** and **January 2022** will be presented, with respect to the anomalies of temperature, and accumulated precipitation.

During the period in focus normal temperatures (both maximum and minimum) are significantly declining. The accumulated precipitation is increasing with the accumulation of the **December** almost double the accumulations of **November**. During the period the frequency of baroclinic depressions affecting the area is increasing significantly, resulting in higher accumulated precipitation amounts. From historical data **November** may initiate over the highest peaks of Troodos the snow fall period of the year, as a result of cold invasions associated with depressions affecting the area of the East Mediterranean.

Specifically, regarding the seasonal forecast for the period of **November**, **December 2021** and **January 2022**, the temperature is expected to be generally normal or slightly above normal, mainly over the coastal zone. Normal to above normal temperature also characterizes Asia Minor and the Balkans with low precipitation accumulation. The amount of the accumulated precipitation is expected to range generally from 50% to 75% of normal except over south-eastern areas that is expected to be below 50% of normal (*).




Divergence of temperature from normal from the mean seasonal temperature (°C) for November,

December and January

Percentage (%) of the mean seasonal accumulated precipitation compared to the mean normal for November, December and January

Seasonal forecast in detail


The seasonal forecast for **November** suggests that temperature of the island will be generally normal to above normal, over the eastern part, such as the mean monthly temperature of the surrounding area. The amount of the accumulated precipitation is expected to range generally below 50% of normal, except over northwest area that is expected to range between 50% to 75% of normal. Parts of the coastal zone of the surrounding area will receive again high precipitation accumulation (*).



Divergence of the mean monthly temperature (°C) from normal during November

Percentage of the mean monthly precipitation (%) compared with the normal of November


The seasonal forecast for **December** suggests that temperature will be generally normal to above normal, mainly over the coastal zone. The amount of the accumulated precipitation all over the island is expected to range from 50% to 75% of normal, except over south-eastern areas that is expected to be below 50% of normal (*).



Divergence of the mean monthly temperature (°C) from normal during December

Percentage of the mean monthly precipitation (%) compared with the normal of December

The seasonal forecast for **January 2022** suggests that temperature will be above normal (by 1 to2°C). The amount of the accumulated precipitation for almost all over the island is expected to range from 50% to 75% of normal. Similar conditions characterize all the surrounding area (*).



Divergence of the mean monthly temperature (°C) from normal during January

Percentage of the mean monthly precipitation (%) compared with the normal of January

Normal values of temperature (mean maximum and mean minimum) and accumulated precipitation for November, December 2021, and January 2022

The normal values of mean maximum mean minimum temperature and accumulated precipitation are presented below concerning the three months the period of forecast is covering, in order to gain a better view of the normal seasonal climate. The temperature, both maximum and minimum, is on the fall suggesting January as the coldest month of the period. On the other hand, the accumulated precipitation is increasing significantly towards January, as presented by the climatological data shown on the table below. It is worth noting that the score of the accumulated precipitation is almost double on **December** if compared to **November** remaining almost steady on **January**, and this as a result of the reoccurrence/redeveloping of depressions over the area of the east Mediterranean.


TEMPERATURE AND PRECIPITATION NORMAL VALUES FOR THE PERIOD 1981-2010												
		DAILY MAX			DAILY MINI IPERATURE		MEAN MONTHLY TOTAL PRECIPITATION (mm)					
Area Name	November	December	January	November	December	January	November	December	January			
NORTH COAST	21.7	18.0	16.3	12.2	9.3	7.6	58.6	93.6	85.3			
WEST COAST*	22.4	18.9	17.1	12.9	10.0	8.3	52.6	90.1	78.8			
MOUNTAINOUS AREAS	12.8	8.3	6.3	6.1	2.6	0.7	93.8	157.3	150.0			
INLAND*	22.1	17.3	15.5	10.4	7.0	5.4	43.2	57.2	48.8			
SOUTH COAST	22.6	18.6	16.8	12.4	9.2	7.5	46.8	79.0	73.7			
EAST COAST**	22.4	18.0	16.3	11.8	8.3	6.6	44.0	76.8	67.3			

^{*} West Coast and Inland Values cover the period 1983-2010

^{**} East Coast Temperature Values cover the period 1981-2007

Evaluation of October's seasonal forecast for the area of Cyprus

The seasonal forecast suggested that **October's** temperature would be generally normal, just like the greater area. Regarding the accumulated precipitation, almost entire island would be below 50% of normal. The coastal surrounding zone of the eastern Mediterranean was expected to have similar conditions except north Egypt and south Israel.



Divergence of the mean monthly temperature (°C) from normal during October

Percentage of the mean monthly precipitation (%) compared with the normal of October

From the provisional data recorded by the Department of Meteorology, for the selected portion of the meteorological stations, which are presented in the table below, is evident that the model performed relatively well in forecasting the anomalies of temperature, as most of the mean daily temperatures were around normal.

Extremes were also recorded with positive departures greater than 4°C, like Prodromos station where the highest daily maximum temperature (27.4°C) was 8.2°C greater than normal (19.2°C) and Athalassa station, where the highest daily maximum temperature (34.9°C) was 6.5°C greater than normal (28.4°C).


Daily minimum temperatures were also recorded, with positive departure greater than 4°C above normal, like Pafos station, where a minimum of 22°C was 5.6°C above station's normal (16.4°C) and Athalassa station, where the highest daily minimum temperature (19.6°C) was 4.4°C greater than normal (15.2°C).

From the provisional data recorded by the Department of Meteorology the model performed relatively well over the estimation of the amount of the accumulated precipitation.


On the 1st, 14th, 16-21 and 25-31 of **October** local showers and isolated thunderstorms resulted in accumulated precipitation of just 21% of normal. On the 30th of **October** hail was reported.

							/ISIONAL I							
St. No.	Station Name	Mean Daily Maximum Temperature (°C)	Value	Difference from Normal Value	Highest Daily Maximum Temperature (°C)	Maximum Temperature (°C)	Mean Daily Minimum Temperature (°C)	Value	from Normal Value	Minimum	Highest Daily Minimum Temperature (°C)	Monthly Total Precipitation (mm)	Value	Difference from Normal Value
41	POLIS CHRYSOCHOUS	27,9	26,4	1,5	32,9	25,3	17,4	16,1	1,3	14,8	20,2	2,0	30,3	-28,3
82*	PAFOS (AIRPORT)	27,2	26,4	0,8	29,7	24,9	17,6	16,4	1,2	15,2	22,0	0,4	27,4	-27,0
225	PRODROMOS (C.F.C.)	20,9	19,2	1,7	27,4	16,0	9,8	10,9	-1,1	7,2	14,4	11,0	34,4	-23,4
666*	ATHALASSA (RADIOSONDE)	30,2	28,4	1,8	34,9	26,4	14,6	15,2	-0,6	12,3	19,6	5,9	20,7	-14,8
731	LARNAKA (AIRPORT)	28,8	27,8	1,0	31,7	26,1	17,6	16,7	0,9	14,7	19,8	15,2	16,0	-0,8
800**	ACHNA (DASAKI)	28,9	28,5	0,4	32,6	25,8	16,8	16,7	0,1	12,6	21,0	10,8	19,9	-9,1
	* Pafos' and Athalassa's Station Normal Values cover the period 1983-2010 ** Achna's Temperature Normal Values cover the period 1981-2007													

For the purpose of better visualization of **October** accumulated precipitation, a chart of Cyprus with the total preliminary accumulated precipitation is presented.



A Cyprus chart with the normal (period 1981 to 2010) accumulated precipitation for the month of **October** is also presented.



(*) It is stated that due to the uncertainty of the seasonal model to correctly forecast the expected precipitation (sometimes) the seasonal forecast for precipitation is given with a reserve.