# Seasonal weather forecast for the months of


# May, June and July 2022

## General overview of the weather expected to prevail for May, June and July.

The weather for the following three months, namely **May**, **June** and **July 2022**, will be presented, with respect to the anomalies of temperature, and accumulated precipitation. Normal temperatures (both maximum and minimum), are on the rise suggesting July as the hottest month of the year. The accumulated precipitation is at its lowest values. The period of the following three months is likely to be characterized as a series of unstable months, with outbreaks of thunderstorms, initiated from thermal (mainly) causes or over the mountainous range from orographic lifting.

Specifically, regarding the seasonal forecast for the period of **May, June** and **July 2022**, the temperature will be generally normal. The amount of the accumulated precipitation is expected to range below 50% of normal over the entire island (\*).


It must be mentioned that the over all normal precipitation of the months in discussion is not of that amount to contribute significantly to the annual normal precipitation.



### The seasonal monthly forecast in detail


#### May

The seasonal forecast suggests that **May's** temperature will be warmer by 1° to 2°C than normal, while above normal is suggested to be over most parts of the surrounding area. Regarding the accumulated precipitation is expected to range below 50% of normal over the island (\*).




#### June

The seasonal forecast suggests that **June's** temperature will be generally normal. The surrounding area will be mostly characterized with normal to above normal temperatures. Regarding the accumulated precipitation is expected range again below 50% of normal (\*).



#### July

The seasonal forecast suggests that **July's** temperature will be generally normal. Regarding the accumulated precipitation, over the west part is expected to range below 50% of normal but over the east part as suggested, by the seasonal forecast the accumulated precipitation, to be significantly above normal (up to 200%) (\*).



## Normal values of temperature and accumulated precipitation for May, June and July

The normal values of mean maximum mean minimum temperature and accumulated precipitation are presented below concerning the three months the period of forecast is covering, in order to gain a better view of the normal seasonal climate. The period of forecast is the transitional period in which the atmosphere switches from its winter pattern to the summer one. The temperature, both maximum and minimum, is on the rise with July's temperature significantly higher. Climatologically extreme high temperatures are recorded during July.

On the other hand, the accumulated precipitation is declining, as presented by the climatological data shown on the table below.


May, June and July are climatologically suggested to be unstable months with thundery activity initiated mainly by thermal causes or orographic uplift. From the table below, note also the effect of the mountainous area of Troodos range over the accumulated precipitation, mainly because of thundery activity, which is affecting primarily the mountainous ranges of the island. The accumulated precipitation over Prodromos station although declining towards July is always significantly higher, if compared to the accumulated precipitation of the other selected stations.

TEMPERATURE AND PRECIPITATION NORMAL VALUES FOR THE PERIOD 1981-2010												
		DAILY MAX			DAILY MINI 1PERATURE		MEAN MONTHLY TOTAL PRECIPITATION (mm)					
Area Name	May	June	July	May	June	July	May	June	July			
NORTH COAST	25.8	30.3	33.4	14.3	18.5	21.1	7.6	1.8	0.1			
WEST COAST*	24.5	27.6	29.9	14.7	18.0	20.6	6.1	1.3	0.2			
MOUNTAINOUS AREAS	20.4	25.0	27.9	10.8	15.0	18.2	32.0	27.2	16.4			
INLAND*	29.6	34.0	37.1	14.8	19.1	22.1	24.6	11.6	4.2			
SOUTH COAST	26.4	30.2	32.5	15.7	19.4	22.0	9.8	2.0	0.5			
EAST COAST**	27.4	31.0	33.2	14.9	18.9	21.8	10.7	1.8	0.1			

<sup>\*</sup> West Coast and Inland Values cover the period 1983-2010

### Evaluation of April's seasonal forecast for the area of Cyprus

The seasonal forecast suggested that **April's** temperature would be above normal. Regarding the accumulated precipitation Cyprus was expected to be again in a dry zone extending from the Southern Balkans towards Near and Middle East. Thus, the accumulated precipitation was expected to range below 50% of normal all over the island (\*).



Concerning the model's evaluation for **April**, a general judgment is that the model performed well concerning both the temperature and the accumulated precipitation.

The recorded data is shown that the mean daily maximum and mean daily minimum temperatures were above normal. Extremes (deviating by 4°C or more from normal) were recorded in all of the selected

<sup>\*\*</sup> East Coast Temperature Values cover the period 1981-2007


meteorological stations. As an example, note the recorded maximum of Prodromos that was 25.6°C (with a normal of 15.5°C) and the maximum of Athalassa that was 35.2°C (with a normal of 24.4°C). Concerning the mean daily minimum temperatures note the recorded minimum of Prodromos again that was 16.9°C (with a normal of 6.6°C) and the minimum of Larnaka that was 20.4°C (with a normal of 11.8°C).

From provisional data no rain was recorded in April.

Also, no EMMA warnings were reported.

		TEMPI	RATU	RE AND	PRECIPIT	ATION PR	OVISIONA	L DAT	A FOR A	PRIL 2022	<u> </u>			
St. No.	Station Name	Mean Daily Maximum Temperature (°C)	Normal Value (1981- 2010)	Difference from Normal Value	Highest Daily Maximum Temperature (°C)	Lowest Daily Maximum Temperature (°C)	Mean Daily Minimum Temperature (°C)	Normal Value (1981- 2010)	Difference from Normal Value	Lowest Daily Minimum Temperature (°C)	Highest Daily Minimum Temperature (°C)	Monthly Total Precipitation (mm)	Normal Value (1981- 2010)	Difference from Normal Value
41	POLIS CHRYSOCHOUS	24,4	21,6	2,8	29,5	19,0	12,1	10,8	1,3	7,9	17,5	0,0	21,8	-21,8
82*	PAFOS (AIRPORT)	23,0	21,5	1,5	30,5	20,2	13,0	11,5	1,5	8,7	17,8	0,0	15,2	-15,2
225	PRODROMOS (C.F.C.)	20,2	15,5	4,7	25,6	11,4	9,7	6,6	3,1	1,9	16,9	0,0	47,2	-47,2
666*	ATHALASSA (RADIOSONDE)	27,8	24,4	3,4	35,2	19,6	11,0	10,4	0,6	5,2	17,9	0,2	19,1	-18,9
731	LARNAKA (AIRPORT)	25,1	22,7	2,4	32,0	19,9	13,3	11,8	1,5	8,3	20,4	0,4	14,2	-13,8
800**	ACHNA (DASAKI)	25,9	23,2	2,7	32,5	20,9	11,7	10,9	0,8	6,2	17,9	0,0	19,7	-19,7
	* Pafos' and Athalassa's Station Normal Values cover the period 1983-2010  ** Achna's Temperature Normal Values cover the period 1981-2007													
= VALUES FROM AUTOMATIC WEATHER STATION														

A Cyprus chart with the normal (period 1981 to 2010) accumulated precipitation for the month of **April** is presented.



(\*) It is stated that due to the uncertainty of the seasonal model to correctly forecast the expected precipitation (sometimes) the seasonal forecast for precipitation is given with a reserve.