#### Seasonal weather forecast for the months of


### **December 2022 and January and February 2023**

# General over view of the weather expected to prevail during December 2022 and January and February 2023.

The following period consists of the season of the traditional winter, where most of the annual accumulated precipitation is climatologically expected while in the period in focus normal temperatures (both maximum and minimum) are significantly lower than the other months of the year. During the period, the frequency of baroclinic depressions affecting the area is at its most resulting in higher accumulated precipitation amounts.

#### Seasonal forecast for the next three months

Specifically, regarding the seasonal forecast for the period of **December 2022** and **January** and **February 2023**, the temperature is expected to be generally above normal. Normal to above normal temperature characterizes also Asia Minor and the Balkans. The amount of the accumulated precipitation inland and over the southern and eastern part of Cyprus is expected to range generally from 50% to 75% of normal (\*).




Divergence of temperature from normal from the mean seasonal temperature (°C) for December,

January and February

Percentage (%) of the mean seasonal accumulated precipitation compared to the mean normal for December, January and February

#### Seasonal forecast in detail


The seasonal forecast for **December 2022** suggests that temperature will be above normal (by 1°C to 2°C) mainly over coastal areas. The accumulated precipitation of **December** is forecasted to be disappointing since it suggests a mainly dry month with accumulation ranging only from 50% to 75% of normal. Low accumulations characterize all the surrounding area (\*).



Divergence of the mean monthly temperature (°C) from normal during December

Percentage of the mean monthly precipitation (%) compared with the normal of December


The seasonal forecast for **January 2023** suggests that temperature will be above normal (by 1°C to 2°C) mainly over coastal areas. The forecast of **January** for the accumulated precipitation suggests that the accumulation will range between from 50% to 75% of normal all over the island. Low accumulations characterize almost all the surrounding area (\*).



Divergence of the mean monthly temperature (°C) from normal during January

Percentage of the mean monthly precipitation (%) compared with the normal of January

The seasonal forecast for February 2023 is almost similar to the one of January and it will be warmer than normal by 1°C to 2°C. The accumulated precipitation of **February** forecast suggests that the accumulation will range between 50% and 75% of normal all over the island, except over southeastern area that will be below 50% of normal. Low accumulations are characterizing great parts of the surrounding area (\*).



## from normal during February

compared with the normal of February

## Normal values of temperature (mean maximum and mean minimum) and accumulated precipitation for December, January and February

The normal values of mean maximum, mean minimum temperature and accumulated precipitation are presented below concerning the three months the period of forecast is covering, in order to gain a better view of the normal seasonal climate. The temperatures, both maximum and minimum, are the lowest climatological temperatures of the year while the accumulated precipitation has the greater amount of the year, because of the increased frequency of reoccurrence/redeveloping of depressions over the area of the east Mediterranean. During the period of forecast, snow is likely to occur over the Troodos range while, in the event of the likely synoptic situation, snow may occur above 300m a phenomenon not that frequent.


TEMPERATURE AND PRECIPITATION NORMAL VALUES FOR THE PERIOD 1981-2010												
		DAILY MAX			DAILY MINI 1PERATURE		MEAN MONTHLY TOTAL PRECIPITATION (mm)					
Area Name	December	January	February	December	January	February	December January		February			
NORTH COAST	18.0	16.3	16.3	9.3	7.6	7.3	93.6	85.3	68.5			
WEST COAST*	18.9	17.1	17.1	10.0	8.3	8.1	90.1	78.8	59.8			
MOUNTAINOUS AREAS	8.3	6.3	6.7	2.6	0.7	0.5	157.3	150.0	128.7			
INLAND*	17.3	15.5	16.0	7.0	5.4	5.3	57.2	48.8	44.5			
SOUTH COAST	18.6	16.8	17.0	9.2	7.5	7.1	79.0	73.7	50.3			
EAST COAST**	18.0	16.3	16.5	8.3	6.6	6.3	76.8	67.3	50.7			

<sup>\*</sup> West Coast and Inland Values cover the period 1983-2010

<sup>\*\*</sup> East Coast Temperature Values cover the period 1981-2007

#### Evaluation of November's seasonal forecast for the area of Cyprus

The seasonal forecast for **November** suggested that temperature of the island would be generally normal and above normal, mainly over the coastal areas. The amount of the accumulated precipitation was expected to range between 50% to 75% of normal all over the island, except over northwest area that was expected to range above 75% of normal. Parts of the coastal zone of the surrounding area was expected to receive high precipitation accumulation.



Divergence of the mean monthly temperature (°C) from normal during November

Percentage of the mean monthly precipitation (%) compared with the normal of November

From the provisional data recorded by the Department of Meteorology, for the selected portion of the meteorological stations, which are presented in the table below,

	TEMPERATURE AND PRECIPITATION PROVISIONAL DATA FOR NOVEMBER 2022													
St. No.	Station Name	Mean Daily Maximum Temperature (°C)	Normal Value (1981- 2010)	Difference from Normal Value	Highest Daily Maximum Temperature (°C)	Maximum	Mean Daily Minimum Temperature (°C)	Normal Value (1981- 2010)	Difference from Normal Value	Lowest Daily Minimum Temperature (°C)	Highest Daily Minimum Temperature (°C)	Monthly Total Precipitation (mm)	Normal Value (1981- 2010)	Difference from Normal Value
41	POLIS CHRYSOCHOUS	25,0	21,7	3,3	28,1	21,5	14,3	12,2	2,1	10,9	18,0	82,7	58,6	24,1
82*	PAFOS (AIRPORT)	23,7	22,4	1,3	26,0	20,7	14,6	12,9	1,7	10,4	17,5	56,2	52,6	3,6
225	PRODROMOS (C.F.C.)	13,7	13,1	0,6	16,7	9,7	5,5	6,3	-0,8	2,3	8,7	46,1	106,5	-60,4
666*	ATHALASSA (RADIOSONDE)	24,2	22,1	2,1	28,1	19,9	10,9	10,4	0,5	7,6	16,3	23,7	43,2	-19,5
731	LARNAKA (AIRPORT)	24,5	22,6	1,9	26,9	20,7	14,7	12,4	2,3	11,1	18,7	39,2	46,8	-7,6
800**	ACHNA (DASAKI)	24,6	22,4	2,2	28,7	19,0	14,0	11,8	2,2	9,9	18,4	46,3	44,0	2,3
	* Pafos' and Athalassa's Station Normal Values cover the period 1983-2010  ** Achna's Temperature Normal Values cover the period 1981-2007													
	= VALUES FROM AUTOMATIC WEATHER STATION													

is evident that the model performed relatively well concerning the temperature anomalies, since almost both mean daily maximum temperatures and mean daily minimum temperatures were recorded normal or above normal.


Extremes were recorded with positive departures greater than 4°C, like Polis Chrysochous station where the highest daily maximum temperature (28.1°C) was 6.4°C greater than normal (21.7°C) and like Achna station, where the highest daily maximum temperature (28.7°C) was 6.3°C greater than normal (22.4°C).

Extremes were recorded with positive departures greater than 4°C, like Larnaka station where the highest daily minimum temperature (18.7°C) was 6.3°C greater than normal (12.4°C) and like Achna station, where the highest daily minimum temperature (18.4°C) was 6.6°C greater than normal (11.8°C).


As regarding the accumulated precipitation **November**, the accumulated precipitation was just below normal. On the 1<sup>st</sup>, on the 2<sup>nd</sup> and during the periods 4-12, 15-17, 21-26, and 28-30 of **November** local showers and thunderstorms resulted in accumulated precipitation of 83% of normal. It is worth mentioning that on 25<sup>th</sup> of **November** snowflakes were reported on Troodos highest peaks.

Also, for the 7<sup>th</sup>, 24<sup>th</sup> and 29<sup>th</sup> of **November** EMMA yellow warning for thunderstorms were issued.

For the purpose of better visualization of **November** accumulated precipitation, a chart of Cyprus with the total preliminary accumulated precipitation is presented.



A Cyprus chart with the normal (period 1981 to 2010) accumulated precipitation for the month of **November** is also presented.



(\*) It is stated that due to the failure of the seasonal model to correctly forecast the expected precipitation (sometimes) the seasonal forecast for precipitation is given with a reserve.